

according to Regulation (EC) No 1907/2006 (2020/878)

## MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

MultiEx 3D-A3

#### Further trade names

Old name: MultiEx 3D-468 mod.2-A3

UFI: WD40-Y0YK-H007-JWW0

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Electronics cleaner for spray and immersion plants

## 1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

Telephone: +49-2154-947938 Telefax: +49-2154-947947

e-mail: info@kolb-ct.com

Contact person: Christian Linker Telephone: +49-2324-97980

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com
Responsible Department: Labor/ QS

1.4. Emergency telephone +49/ (0) 23 24/ 979817 (EU) number: +61 4 19 809 805 (Australia)

+1 970 443 9233 (USA)

Schweiz: 145

## **Further Information**

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: +61 4 19 809 805
 Mobile: 001- 970-443-9233

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

## Hazard components for labelling

1-aminopropan-2-ol; isopropanolamine

Signal word: Warning

Pictograms:





according to Regulation (EC) No 1907/2006 (2020/878)

## MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 2 of 8

## **Hazard statements**

H319 Causes serious eye irritation.

## **Precautionary statements**

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Chemical characterization

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): phosphonic acide derivatives, glycols, alkalis

## **Hazardous components**

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification (Regulation (EC) No	Classification (Regulation (EC) No 1272/2008)					
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether						
	203-961-6	603-096-00-8					
	Eye Irrit. 2; H319						
37971-36-1	Phosphonobutantricarbonacid						
	253-733-5		01-2119436643-39				
	Eye Irrit. 2; H319						
78-96-6	1-aminopropan-2-ol; isopropanolamine						
	201-162-7	603-082-00-1					
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H312 H314 H318						

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE			
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			
	dermal: LD50 = 2746 mg/kg; oral: LD50 = 5660 mg/kg				
37971-36-1	1-36-1 253-733-5 Phosphonobutantricarbonacid		1 - < 5 %		
	dermal: LD50 = 4000 mg/kg; oral: LD50 = 6500 mg/kg Eye Irrit. 2; H319: >= - 100				
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine	1 - < 5 %		
	dermal: LD50 = 1851 mg/kg; oral: LD50 = 2813 mg/kg				

## Labelling for contents according to Regulation (EC) No 648/2004

preservation agents.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006 (2020/878)

#### MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 3 of 8

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Remove contaminated, saturated clothing immediately. Wash thoroughly the body (shower or bath). After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After contact with eves

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician in any case!

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Dry extinguishing powder, Foam, Carbon dioxide (CO2)., Extinguishing powder

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Carbon dioxide (CO2), Burning produces heavy smoke., Carbon monoxide

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**



according to Regulation (EC) No 1907/2006 (2020/878)

## MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 4 of 8

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Handle and open container with care. Wear personal protection equipment (refer to section 8).

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Personal protection equipment

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

#### Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	

## 8.2. Exposure controls

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. wear hand gloves material: nitril or pvc

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: transparent
Odour: neutral

Melting point/freezing point: not determined

> 100 °C



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (2020/878)

## MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 5 of 8

Boiling point or initial boiling point and

boiling range:

Flammability: not applicable not applicable

Lower explosion limits: not determined Upper explosion limits: not determined

Flash point: > 100 °C

Decomposition temperature: not determined pH-Value (at 20 °C): 10,4 Water solubility: full soluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,02 g/cm³

not determined

## 9.2. Other information

## Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties not measurable

## Other safety characteristics

Evaporation rate: not determined Solid content: not determined viscosity / dynamic: 28 mPa·s

(at 20 °C)

## **Further Information**

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

Chemical stability

#### 10.3. Possibility of hazardous reactions

May cause strong formation of hydrogen by contact with amphoteric metals (e.g. aluminia, lead, zinc) - danger of explosion.

## 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

not known

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006 (2020/878)

## MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 6 of 8

## **Acute toxicity**

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether						
	oral	LD50 5660 mg/kg					
	dermal	LD50 2746 mg/kg					
37971-36-1	Phosphonobutantricarbonacid						
	oral	LD50 6500 mg/kg	Rat				
	dermal	LD50 4000 mg/kg	Rat				
78-96-6	1-aminopropan-2-ol; isopropanolamine						
	oral	LD50 2813 mg/kg					
	dermal	LD50 1851 mg/kg					

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
112-34-5	2-(2-butoxyethoxy)ethano	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether						
	Acute fish toxicity	LC50 mg/l	1300	96 h				
	Acute algae toxicity	ErC50	100 mg/l					
	Acute crustacea toxicity	EC50	100 mg/l	48 h				
37971-36-1	Phosphonobutantricarbonacid							
	Acute fish toxicity	LC50 mg/l	1042	96 h				
	Acute algae toxicity	ErC50	611 mg/l	72 h				
	Acute crustacea toxicity	EC50 mg/l	1071	48 h				
78-96-6	1-aminopropan-2-ol; isopropanolamine							
	Acute fish toxicity	LC50 mg/l	1000	96 h				
	Acute crustacea toxicity	EC50 mg/l	108,82	48 h				

## 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.



according to Regulation (EC) No 1907/2006 (2020/878)

## MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 7 of 8

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

2010/75/EU (VOC): 4,8 % (48,96 g/l) 2004/42/EC (VOC): 43,3 % (441,66 g/l)

**Additional information** 

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

## **National regulatory information**



kolb Cleaning Technology GmbH

according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-A3

Revision date: 31.08.2023 Product code: 090666-RM Page 8 of 8

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Relevant H and EUH statements (number and full text)

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)