



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

MultiEx 3D-E14 RM

UFI:

91D0-10DW-S009-F9RR

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Electronics cleaner for spray and immersion plants

#### 1.3. Details of the supplier of the safety data sheet

1.3. Details of the supplier of the safe	ely uala sheel	
Company name:	kolb Cleaning Technology GmbH	
Street:	Karl-Arnold-Str. 12	
Place:	D-47877 Willich	
Telephone:	+49-2154-947938	Telefax: +49-2154-947947
e-mail:	info@kolb-ct.com	
Contact person:	Christian Linker	Telephone: +49-2324-97980
e-mail:	christian.linker@kolb-ct.com	
Internet:	www.kolb-ct.com	
Responsible Department:	Labor/ QS	
1.4. Emergency telephone	+49/ (0) 23 24/ 979817 (EU)	
number:	+61 4 19 809 805 (Australia)	
	+1 970 443 9233 (USA)	
	Schweiz: 145	
Further Information		
Australia:	USA:	
kolb Cleaning Technology AP F	TY LTD kolb USA LLC	
6/150 Canterbury Road	410 Sunset, Unit C	
NSW 2200 Bankstown	80501 Longmont – CO	

Phone 001- 970-532-5100

Mobile: 001- 970-443-9233

#### **SECTION 2: Hazards identification**

Phone: +61 2 97900273

Mobile +61 4 19 809 805

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2A Hazard Statements: Causes serious eye irritation. Causes skin irritation.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

Hazard components for labelling 2-aminoethanol; ethanolamine

Signal word:

Pictograms:





according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 2 of 10

# Hazard statements

H319	Causes serious eye irritation.
H315	Causes skin irritation.

## Precautionary statements

· · · · · · · · · · · · · · · · · · ·	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Chemical characterization

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): glycols, alcohols, alkalis, phosphonic acide derivatives.

## Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulat					
34590-94-8	Dipropylene glycol mo	nomethyl ether, Isomerengem		5 - < 15 %		
	252-104-2		01-2119450011-60			
111-76-2	2-butoxyethanol; ethyle	eneglycol monobutyl ether; butyl cello	solve	1 - < 5 %		
	203-905-0	603-014-00-0				
	Acute Tox. 3, Acute To	ox. 4, Skin Irrit. 2, Eye Irrit. 2; H331 H3	302 H315 H319			
67-63-0	propan-2-ol; isopropyl	1 - < 5 %				
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2					
141-43-5	2-aminoethanol; ethan	1 - < 5 %				
	205-483-3	603-030-00-8				
	Acute Tox. 4, Acute To H302 H314 H318 H33					

Full text of H and EUH statements: see section 16.



# according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 3 of 10

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	5 - < 15 %			
	dermal: LD50	= 19020 mg/kg; oral: LD50 = 5130 mg/kg				
111-76-2	203-905-0	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	1 - < 5 %			
	inhalation: ATE 3 mg/l (vapours); dermal: LD50 = 435 mg/kg; oral: ATE 1200 mg/kg					
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	1 - < 5 %			
	dermal: LD50	= 12800 mg/kg; oral: LD50 = 5050 mg/kg				
141-43-5	205-483-3 2-aminoethanol; ethanolamine					
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 2504 mg/kg; oral: LD50 = 1089 mg/kg_STOT SE 3; H335: >= 5 - 100					

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.





according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 4 of 10

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm <sup>3</sup>	Category	Origin
34590-94-8	(2-Methoxymethylethoxy)-I-propanol	50	308		TWA (8 h)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	
111-76-2	2-Butoxyethanol (EGBE)	20	98		TWA (8 h)	
		50	246		STEL (15 min)	
67-63-0	Isopropyl alcohol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 5 of 10

#### **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	BAA	200 mg/g	Creatinine	End of shift
67-63-0	2-Propanol	Acetone	40 mg/L	-	End of shift at end of workweek

# **DNEL/DMEL** values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
102-71-6	2,2',2"-Nitrilotriethanol	2,2',2"-Nitrilotriethanol						
Worker DNE	L, long-term	systemic	6,3 mg/kg bw/day					
Worker DNE	L, long-term	inhalation	systemic	5 mg/m³				
Worker DNE	L, long-term	inhalation	local	5 mg/m³				
Consumer D	NEL, long-term	dermal	systemic	3,1 mg/kg bw/day				
Consumer DNEL, long-term		inhalation	systemic	1,25 mg/m³				
Consumer DNEL, long-term		inhalation	local	1,25 mg/m³				
Consumer DNEL, long-term		oral	systemic	13 mg/kg bw/day				

# **PNEC** values

CAS No	Substance					
Environment	tal compartment	Value				
102-71-6	2,2',2"-Nitrilotriethanol					
Freshwater 0,32 mg						
Marine wate	0,032 mg/l					
Freshwater	sediment	1,7 mg/kg				
Marine sedir	nent	0,17 mg/kg				
Micro-organi	isms in sewage treatment plants (STP)	10 mg/l				
Soil		0,151 mg/kg				
Air		5,12 mg/l				

## 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 6 of 10

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

<u>9.1. Information on basic physical and che</u>		
Physical state:	Liquid	
Colour:	neutral	
Odour:	specific	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Decomposition temperature:		not determined
pH-Value (at 20 °C):		11,0
Water solubility:		full soluble in water.
(at 20 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		0,99 g/cm³
Relative vapour density:		not determined
9.2. Other information		
Information with regard to physical has	zard classes	
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Oxidizing properties		
Not oxidising.		
Other safety characteristics		

Other safety characteristics

Evaporation rate: Solid content: Viscosity / dynamic: (at 20 °C)

## **Further Information**

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

not determined

not determined

30,0 mPa·s





according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 7 of 10

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem								
	oral LD50 5130 F mg/kg		Ratte	AMA					
	dermal	LD50 mg/kg	19020	Ratte					
111-76-2	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve								
	oral	ATE 1200	mg/kg						
	dermal	LD50 mg/kg	435	Rabbit					
	inhalation vapour	ATE 3 mg	/I						
67-63-0	propan-2-ol; isopropyl a	alcohol; isopro	panol	_					
	oral	LD50 mg/kg	5050	Rat					
	dermal	LD50 mg/kg	12800	Rabbit					
141-43-5	2-aminoethanol; ethanolamine								
	oral	LD50 mg/kg	1089	Rat					
	dermal	LD50 mg/kg	2504	Rabbit					
	inhalation vapour	ATE	11 mg/l						
	inhalation dust/mist	ATE	1,5 mg/l						

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.



## according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 8 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
34590-94-8	Dipropylene glycol monor						
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)		
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge		
	Acute crustacea toxicity	EC50 mg/l	1919	48 h	Daphnia magna (Wasserfloh)		
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)		
111-76-2	2-butoxyethanol; ethylene	glycol mone	obutyl ether;	butyl cell	osolve		
	Acute fish toxicity	LC50 mg/l	1474	96 h			
	Acute algae toxicity	ErC50 mg/l	1232	72 h			
	Acute crustacea toxicity	EC50 mg/l	1800	48 h			
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol				
	Acute fish toxicity	LC50 mg/l	9640	96 h			
	Acute crustacea toxicity	EC50 mg/l	1400	48 h			
141-43-5	2-aminoethanol; ethanola	mine					
	Acute fish toxicity	LC50	349 mg/l	96 h			
	Acute algae toxicity	ErC50	2,8 mg/l	72 h			
	Acute crustacea toxicity	EC50	65 mg/l	48 h			

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			-
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem			
	OECD 301E	>70%	28	
	biologisch abbaubar			

## 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 9 of 10

#### <u>12.7. Other adverse effects</u> No information available.

# Further information

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

Land transport (ADR/RID) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
Inland waterways transport (ADN) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
Air transport (ICAO-TI/IATA-DGR) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No

# 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Restrictions on use (REACH, annex XVII	):
Entry 3, Entry 40	
2010/75/EU (VOC):	9,4 % (93,06 g/l)
2004/42/EC (VOC):	9,4 % (93,06 g/l)
Additional information	
To follow: 850/2004/EC, 79/117/EEC	, 689/2008/EC
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
15.2. Chemical safety assessment	

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-E14 RM

Revision date: 31.08.2023

Product code: 090646-RM

Page 10 of 10

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

- (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)