Telefax: +49-2154-947947

Telephone: +49-2324-97980



# **Safety Data Sheet**

according to UK REACH Regulation

## MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

MultiEx 3D-H2

#### Further trade names

Old name: MultiEx 3D-E14 HPA2

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Electronics cleaner for spray and immersion plants

## 1.3. Details of the supplier of the safety data sheet

Company name: kolb Cleaning Technology GmbH

Street: Karl-Arnold-Str. 12
Place: D-47877 Willich
Telephone: +49-2154-947938

e-mail: info@kolb-ct.com

Contact person: Christian Linker

e-mail: christian.linker@kolb-ct.com

Internet: www.kolb-ct.com

Responsible Department: Labor/ QS

 1.4. Emergency telephone
 +49/ (0) 23 24/ 979817 (EU)

 number:
 +61 4 19 809 805 (Australia)

+1 970 443 9233 (USA)

Schweiz: 145

## **Further Information**

Australia: USA:

 kolb Cleaning Technology AP PTY LTD
 kolb USA LLC

 6/150 Canterbury Road
 410 Sunset, Unit C

 NSW 2200 Bankstown
 80501 Longmont – CO

 Phone: +61 2 97900273
 Phone 001- 970-532-5100

 Mobile: +61 4 19 809 805
 Mobile: 001- 970-443-9233

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1C

Hazard Statements: Causes skin irritation.

May cause an allergic skin reaction.

## 2.2. Label elements

# **GB CLP Regulation**

## Hazard components for labelling

1-aminopropan-2-ol; isopropanolamine

Signal word: Warning

Pictograms:





# according to UK REACH Regulation

## MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 2 of 10

## **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P363 Wash contaminated clothing before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

#### Additional advice on labelling

UFI: 9NG0-90DK-N002-7N7F

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): glycols, alcohols, alkalis, phosphonic acide derivatives.

## **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Reg					
34590-94-8	Dipropylene glycol monome	ethyl ether, Isomerengem		5 - < 15 %		
	252-104-2		01-2119450011-60			
111-76-2	2-butoxyethanol; ethylene	glycol monobutyl ether		8-< 10 %		
	203-905-0	603-014-00-0				
	Acute Tox. 3, Acute Tox. 4	Skin Irrit. 2, Eye Irrit. 2; H331 H3	302 H315 H319			
78-96-6	1-aminopropan-2-ol; isopro	5 - < 15 %				
	201-162-7	603-082-00-1				
	Acute Tox. 4, Skin Corr. 1E					
67-63-0	propan-2-ol; isopropyl alco	3-< 4 %				
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2, S1					
37971-36-1	Phosphonobutantricarbona	1 - < 5 %				
	253-733-5		01-2119436643-39			
	Eye Irrit. 2; H319					
111-42-2	2,2'-iminodiethanol; diethar	1 - < 5 %				
	203-868-0	603-071-00-1				
	Acute Tox. 4, Skin Irrit. 2, E					

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

#### MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 3 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	5 - < 15 %
	dermal: LD50 =	= 19020 mg/kg; oral: LD50 = 5130 mg/kg	
111-76-2	203-905-0	2-butoxyethanol; ethylene glycol monobutyl ether	8-< 10 % %
	inhalation: ATE	3 mg/l (vapours); oral: ATE 1200 mg/kg	
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine	5 - < 15 %
	dermal: LD50 =	= 1851 mg/kg; oral: LD50 = 2813 mg/kg	
37971-36-1	253-733-5	Phosphonobutantricarbonacid	1 - < 5 %
	dermal: LD50 =	= 4000 mg/kg; oral: LD50 = 6500 mg/kg	
111-42-2	203-868-0	2,2'-iminodiethanol; diethanolamine	1 - < 5 %
	dermal: LD50 =	= 8328 mg/kg; oral: LD50 = 676 mg/kg	

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and



according to UK REACH Regulation

## MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 4 of 10

clothes. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

No special measures are necessary.

# 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

## **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

## 8.2. Exposure controls



according to UK REACH Regulation

#### MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 5 of 10

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection.

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: Amines

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not applicable not applicable

Lower explosion limits:

Upper explosion limits:

rot determined

not determined

Flash point:

> 100 °C

Decomposition temperature:

not determined

pH-Value (at 20 °C): 10,8 Water solubility: full soluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

(at 20 °C)

Density (at 20 °C): 0,965 g/cm³
Relative vapour density: not determined

#### 9.2. Other information

## Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

# Other safety characteristics

Evaporation rate: not determined Solid content: not determined viscosity / dynamic: 40 mPa·s

(at 20 °C)

#### **Further Information**

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)



according to UK REACH Regulation

## MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 6 of 10

## **SECTION 10: Stability and reactivity**

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

Keep away from: Acid

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

## **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
34590-94-8	Dipropylene glycol me	Dipropylene glycol monomethyl ether, Isomerengem						
	oral	LD50 mg/kg	5130	Ratte	AMA			
	dermal	LD50 mg/kg	19020	Ratte				
111-76-2	2-butoxyethanol; ethy	lene glycol mond	butyl ethe	r				
	oral	ATE 1200 r	mg/kg					
	inhalation vapour	ATE 3 mg/l						
78-96-6	1-aminopropan-2-ol; isopropanolamine							
	oral	LD50 mg/kg	2813					
	dermal	LD50 mg/kg	1851					
37971-36-1	Phosphonobutantricarbonacid							
	oral	LD50 mg/kg	6500	Rat				
	dermal	LD50 mg/kg	4000	Rat				
111-42-2	2,2'-iminodiethanol; diethanolamine							
	oral	LD50 mg/kg	676	Rat				
	dermal	LD50 mg/kg	8328	Rabbit				

## Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

May cause an allergic skin reaction.



according to UK REACH Regulation

## MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 7 of 10

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
34590-94-8	Dipropylene glycol monor	nethyl ether	, Isomerenge	m			
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)		
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge		
	Acute crustacea toxicity	EC50 mg/l	1919	48 h	Daphnia magna (Wasserfloh)		
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)		
111-76-2	2-butoxyethanol; ethylene	glycol mor	obutyl ether				
	Acute fish toxicity	LC50 mg/l	1490	96 h	Lepomis macrochirus		
78-96-6	1-aminopropan-2-ol; isopi	1-aminopropan-2-ol; isopropanolamine					
	Acute fish toxicity	LC50 mg/l	1000	96 h			
	Acute crustacea toxicity	EC50 mg/l	108,82	48 h			
37971-36-1	Phosphonobutantricarbonacid						
	Acute fish toxicity	LC50 mg/l	1042	96 h			
	Acute algae toxicity	ErC50	611 mg/l	72 h			
	Acute crustacea toxicity	EC50 mg/l	1071	48 h			
111-42-2	2,2'-iminodiethanol; dietha	anolamine					
	Acute algae toxicity	ErC50	75 mg/l	72 h	Scenedesmus sp.		
	Acute crustacea toxicity	EC50	110 mg/l	48 h	Daphnia magna		

## 12.2. Persistence and degradability

The product has not been tested.



according to UK REACH Regulation

#### MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 8 of 10

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation			•	
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem				
	OECD 301E	>70%	28		
	biologisch abbaubar				

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether	0,81 (25°C)
111-42-2	2,2'-iminodiethanol; diethanolamine	-1,43

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation,

supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and

mother liquors; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No



according to UK REACH Regulation

# MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 9 of 10

#### 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 20,7 % (199,755 g/l) 2004/42/EC (VOC): 20,7 % (199,755 g/l)

## **Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
11000	Mary acres duringinges an dimpinate

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our



according to UK REACH Regulation

## MultiEx 3D-H2

Revision date: 31.08.2023 Product code: 090663-RM Page 10 of 10

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)