



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

MultiEx 3D-H2

### Further trade names

Old name: MultiEx 3D-E14 HPA2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Electronics cleaner for spray and immersion plants

#### 1.3. Details of the supplier of the safety data sheet

1.0. Details of the supplier of the sale	ty unit Shet		
Company name:	kolb Clean	ing Technology GmbH	
Street:	Karl-Arnolo	d-Str. 12	
Place:	D-47877 V	Villich	
Telephone:	+49-2154-9	947938	Telefax: +49-2154-947947
e-mail:	info@kolb-	-ct.com	
Contact person:	Christian L	inker	Telephone: +49-2324-97980
e-mail:	christian.lir	nker@kolb-ct.com	
Internet:	www.kolb-	ct.com	
Responsible Department:	Labor/ QS		
1.4. Emergency telephone	+49/ (0) 23	3 24/ 979817 (EU)	
number:	+61 4 19 8	09 805 (Australia)	
	+1 970 443	3 9233 (USA)	
	Schweiz: 1	45	
Further Information			
Australia:		USA:	
kolb Cleaning Technology AP P	TY LTD	kolb USA LLC	
6/150 Canterbury Road		410 Sunset, Unit C	
NSW 2200 Bankstown		80501 Longmont – CO	
Phone: +61 2 97900273		Phone 001- 970-532-5100	
Mobile +61 4 19 809 805		Mobile: 001- 970-443-9233	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Corr. 1C Hazard Statements: Causes skin irritation. May cause an allergic skin reaction.

# 2.2. Label elements

### Regulation (EC) No 1272/2008

Hazard components for labelling 1-aminopropan-2-ol; isopropanolamine

Signal word: Warning

**Pictograms:** 





according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 2 of 10

### Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

#### Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P363	Wash contaminated clothing before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Additional advice on labelling

UFI: 9NG0-90DK-N002-7N7F

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### Chemical characterization

Cleaner on the basis of (according to EC Detergents Regulation 648/2004): glycols, alcohols, alkalis, phosphonic acide derivatives.

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation	(EC) No 1272/2008)	•	
34590-94-8	Dipropylene glycol mono	methyl ether, Isomerengem		5 - < 15 %
	252-104-2		01-2119450011-60	
111-76-2	2-butoxyethanol; ethylene	e glycol monobutyl ether		8-< 10 %
	203-905-0	603-014-00-0		
	Acute Tox. 3, Acute Tox.			
78-96-6	1-aminopropan-2-ol; isop	5 - < 15 %		
	201-162-7	603-082-00-1		
	Acute Tox. 4, Skin Corr.			
67-63-0	propan-2-ol; isopropyl ald	3-< 4 %		
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, S			
37971-36-1	Phosphonobutantricarbor	1 - < 5 %		
	253-733-5		01-2119436643-39	
	Eye Irrit. 2; H319		•	
111-42-2	2,2'-iminodiethanol; dieth	1 - < 5 %		
	203-868-0	603-071-00-1		
	Acute Tox. 4, Skin Irrit. 2,	Eye Dam. 1, STOT RE 2; H302 H3 <sup>2</sup>	I5 H318 H373	

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 3 of 10

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
34590-94-8	252-104-2	Dipropylene glycol monomethyl ether, Isomerengem	5 - < 15 %			
	dermal: LD50	i = 19020 mg/kg; oral: LD50 = 5130 mg/kg				
111-76-2	203-905-0	2-butoxyethanol; ethylene glycol monobutyl ether	8-< 10 % %			
	inhalation: AT	inhalation: ATE 3 mg/l (vapours); oral: ATE 1200 mg/kg				
78-96-6	201-162-7	1-aminopropan-2-ol; isopropanolamine	5 - < 15 %			
	dermal: LD50	= 1851 mg/kg; oral: LD50 = 2813 mg/kg				
37971-36-1	253-733-5	Phosphonobutantricarbonacid	1 - < 5 %			
	dermal: LD50 = 4000 mg/kg; oral: LD50 = 6500 mg/kg Eye Irrit. 2; H319: >= - 100					
111-42-2	203-868-0	2,2'-iminodiethanol; diethanolamine	1 - < 5 %			
	dermal: LD50 = 8328 mg/kg; oral: LD50 = 676 mg/kg					

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

# Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 4 of 10

clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Electronics cleaner for spray and immersion plants

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
34590-94-8	(2-Methoxymethylethoxy)-I-propanol	50	308		TWA (8 h)	
111-76-2	2 2-Butoxyethanol (EGBE)		98		TWA (8 h)	
		50	246		STEL (15 min)	
111-42-2	Diethanolamine (Inhalable Fraction and Vapour)	0.2	1		TWA (8 h)	
67-63-0	Propan-2-ol	200	-		TWA (8 h)	
		400	-		STEL (15 min)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	



# according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 5 of 10

### Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	BAA	200 mg/g	Creatinine	End of shift
67-63-0	2-Propanol	Acetone	40 mg/L	-	End of shift at end of workweek

# **DNEL/DMEL** values

Substance								
DNEL type		Effect	Value					
2,2',2"-Nitrilotriethanol	2,2',2"-Nitrilotriethanol							
Worker DNEL, long-term dermal systemic 6,3 mg/								
L, long-term	inhalation	systemic	5 mg/m³					
L, long-term	inhalation	local	5 mg/m³					
NEL, long-term	dermal	systemic	3,1 mg/kg bw/day					
Consumer DNEL, long-term		systemic	1,25 mg/m³					
Consumer DNEL, long-term		local	1,25 mg/m³					
NEL, long-term	oral	systemic	13 mg/kg bw/day					
	2,2',2"-Nitrilotriethanol L, long-term L, long-term L, long-term NEL, long-term NEL, long-term NEL, long-term	Exposure route     2,2',2"-Nitrilotriethanol     L, long-term   dermal     L, long-term   inhalation     L, long-term   inhalation     L, long-term   dermal     NEL, long-term   dermal     NEL, long-term   inhalation     NEL, long-term   inhalation     NEL, long-term   inhalation	Exposure route Effect   2,2',2"-Nitrilotriethanol    L, long-term dermal systemic   L, long-term inhalation systemic   L, long-term inhalation local   NEL, long-term inhalation systemic   NEL, long-term inhalation systemic   NEL, long-term inhalation systemic					

# **PNEC** values

CAS No	Substance					
Environment	tal compartment	Value				
102-71-6	2,2',2"-Nitrilotriethanol					
Freshwater	0,32 mg/l					
Marine wate	0,032 mg/l					
Freshwater	1,7 mg/kg					
Marine sedir	0,17 mg/kg					
Micro-organi	isms in sewage treatment plants (STP)	10 mg/l				
Soil	0,151 mg/kg					
Air 5,12 mg/l						

### 8.2. Exposure controls

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Wear suitable protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 6 of 10

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	Amines	
Melting point/freezing		determined
Boiling point or initial	piling point and not	determined
boiling range:		
Flammability:		t applicable
		t applicable
Lower explosion limits		determined
Upper explosion limits	not	determined
Flash point:		> 100 °C
Decomposition tempe	ature: not	determined
pH-Value (at 20 °C):		10,8
Water solubility:	full solut	ole in water.
Solubility in other solv not determined	nts	
Partition coefficient n-	ctanol/water: not	determined
Vapour pressure:	not	determined
(at 20 °C)		
Density (at 20 °C):		0,965 g/cm³
Relative vapour dens	r: not	determined
9.2. Other information		
-	d to physical hazard classes	
Self-ignition temperat Solid:		t applicable
Gas:		t applicable
Oxidizing properties		applicable
Not oxidising.		
Other safety charact	istics	
Evaporation rate:	not	determined

Solid content: Viscosity / dynamic: (at 20 °C)

# **Further Information**

not subject to the requirements of § 4 of the Hazardous Substances Ordinance (GefStoffV)

### **SECTION 10: Stability and reactivity**

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

Keep away from: Acid

not determined

40 mPa·s



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 7 of 10

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose	Dose		Source	Method			
34590-94-8	Dipropylene glycol m	Dipropylene glycol monomethyl ether, Isomerengem							
	oral	LD50 mg/kg	5130	Ratte	AMA				
	dermal	LD50 mg/kg	19020	Ratte					
111-76-2	2-butoxyethanol; eth	ylene glycol mor	nobutyl ethe	r					
	oral	ATE 1200	mg/kg						
	inhalation vapour	ATE 3 mg	/I						
78-96-6	1-aminopropan-2-ol; isopropanolamine								
	oral	LD50 mg/kg	2813						
	dermal	LD50 mg/kg	1851						
37971-36-1	Phosphonobutantrica	arbonacid							
	oral	LD50 mg/kg	6500	Rat					
	dermal	LD50 mg/kg	4000	Rat					
111-42-2	2,2'-iminodiethanol;	diethanolamine							
	oral	LD50 mg/kg	676	Rat					
	dermal	LD50 mg/kg	8328	Rabbit					

#### Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

May cause an allergic skin reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 8 of 10

# **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose	Dose		Species	Source	Method		
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem								
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas (Amerikan. Elritze)				
	Acute algae toxicity	ErC50 mg/l	>969	96 h	Alge				
	Acute crustacea toxicity	EC50 mg/l	1919	48 h	Daphnia magna (Wasserfloh)				
	Crustacea toxicity	NOEC	12 mg/l		Daphnia magna (Wasserfloh)				
111-76-2	2-butoxyethanol; ethylene	e glycol mor	obutyl ether						
	Acute fish toxicity	LC50 mg/l	1490	96 h	Lepomis macrochirus				
78-96-6	1-aminopropan-2-ol; isop	ropanolamir	ne						
	Acute fish toxicity	LC50 mg/l	1000	96 h					
	Acute crustacea toxicity	EC50 mg/l	108,82	48 h					
37971-36-1	Phosphonobutantricarbor	nacid							
	Acute fish toxicity	LC50 mg/l	1042	96 h					
	Acute algae toxicity	ErC50	611 mg/l	72 h					
	Acute crustacea toxicity	EC50 mg/l	1071	48 h					
111-42-2	2,2'-iminodiethanol; dietha	anolamine							
	Acute algae toxicity	ErC50	75 mg/l	72 h	Scenedesmus sp.				
	Acute crustacea toxicity	EC50	110 mg/l	48 h	Daphnia magna				

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem			
	OECD 301E	>70%	28	
	biologisch abbaubar			

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	Dipropylene glycol monomethyl ether, Isomerengem	-0,6
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether	0,81 (25°C)
111-42-2	2,2'-iminodiethanol; diethanolamine	-1,43



according to Regulation (EC) No 1907/2006 (2020/878)

# MultiEx 3D-H2

Revision date: 31.08.2023

Product code: 090663-RM

Page 9 of 10

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
Inland waterways transport (ADN) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
Air transport (ICAO-TI/IATA-DGR) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No

ENVIRONMENTALLY HAZARDOUS:

# 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 75 2010/75/EU (VOC): 20,7 % (199,755 g/l) 2004/42/EC (VOC): 20,7 % (199,755 g/l) Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC



according to Regulation (EC) No 1907/2006 (2020/878)

MultiEx 3D-H2				
Revision date: 31.08.2023	Product code: 090663-RM	Page 10 of 10		
National regulatory information				
Employment restrictions:	loyment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).			
Water hazard class (D):	1 - slightly hazardous to water			
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.			

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)